

	Bamboo Species Click names for details	Running/ Clumping Type	Min Temp in Faren	1- Deep shade 2- Bright light 3- AM sun 4- PM sun 5- Full sun	In Sebastopol		In Climate of Origin		Prices/Availability			
					Hght in Feet	Diam in Inches	Hght in Feet	Diam in Inches	1 gal	5 gal	15 gal	25+ gal
BAMBUSA												
BDOS	Bambusa dolichomerithalla 'Green Stripe'	C	16	3-5	15	0.75	30	1.50	35	75	200	ask
BEV	Bambusa eutuldoides 'Viridivittata'	C	21	3-5	10	0.75	25	1.00	-	75	200	ask
BLO	Bambusa longispiculata 'Mahal'	O	30	5	10	0.50	50	4.00	-	75	175	ask
BMP	Bambusa multiplex	C	18	3-5	20	1.50	45	1.50	-	75	175	ask
BMPA	Bambusa multiplex 'Alphonse Karr'	C	18	3-5	12	1.00	15	1.50	30	60	150	ask
BMPEG	Bambusa multiplex 'Eddie Gaedel'	C	13	3-5	6	0.25	4	0.25	-	75	160	ask
BMPGS	Bambusa multiplex 'Goldstripe'	C	18	3-5	12	0.50	15	1.50	20	60	150	ask
BMPS	Bambusa multiplex 'Silverstripe'	C	18	3-5	8	0.50	25	1.50	20	60	150	ask
BMPT	Bambusa multiplex 'Tiny Fern'	C	18	3-5	3	0.10	3	0.20	-	30 49	60 80	ask
BMPV	Bambusa pervariabilis 'Viridistriatus'	C	25	5	20	2.00	33	2.40	-	80	200	-
BMU	Bambusa mutabilis	C	22	3-5	15	1.00	20	2.00	-	100	200	ask
BOL	Bambusa oldhamii "Giant Timber"	C	20	3-5	40	4.00	55	4.00	-	100	200	ask
BTE	Bambusa textilis 'Weavers Bamboo'	C	18	3-5	30	2.00	40	2.00	40	100	200	ask
BTEG	Bambusa textilis var. gracilis "Slender Weavers"	C	18	3-5	18	0.75	30	1.25	-	100	200	ask
BTU	Bambusa tuldooides	C	18	3-5	25	1.00	55	2.25	-	100	200	ask
BVE	Bambusa ventricosa "Buddha's Belly"	C	18	3-5	30	1.25	55	2.25	-	80	200	ask
BVEK	Bambusa ventricosa 'Holochrysta-kimmel'	C	18	3-5	10	0.75	25	2.25	-	80	200	ask
BASHANIA												
BAF	Bashania fargesii	R	0	3-5	20	1.00	20	1.00	-	50	120	ask
BORINDA												
BRA	Borinda albocerea	O	0	2-4	20	1.00	20	1.00	-	-	200	ask
BRAG	Borinda angustissima	C	14	2-3	10	0.50	10	0.50	-	-	175	ask
BRB	Borinda boliana	O	10	3-5	15	0.75	20	0.80	-	75	175	ask
BRF	Borinda fungosa "Chocolate Bamboo"	C	14	3-4	16	1.00	14	0.60	-	80	200	ask
CHIMONOBAMBUSA												
CBM	Chimonobambusa marmorea "Red"	R	10	2-3	8	0.50	8	0.50	10- 20	45	120	ask
CBMV	Chimonobambusa marmorea 'Variegata'	R	10	2-4	8	0.50	8	0.50	-	40	75- 100	ask
CBQ	Chimonobambusa quadrangularis "Square"	R	10	2-4	12	1.00	25	1.50	20	40	120	ask
CBQS	Chimonobambusa quadrangularis 'Suow'	R	10	2-4	15	1.50	25	1.50	-	40	120	ask
CBTUM	Chimonobambusa tumidissinoda	R	10	2-4	10	0.75	20	1.25	40	80	160- 240	ask
CHIMONOCALAMUS												
CCPA	Chimonocalamus pallens	C	10	2-5	20	1.00	26	1.20	50	100 150	200	ask
CHUSQUEA												
CHCI	Chusquea circinata	C	20	3-5	15	1.00	20	1.00	60	100	225	ask
CHCQ	Chusquea culeou (61-11) 'Chilean Straight'	C	0	3-5	20	1.25	20	1.25	50	100	200	ask
CHCW	Chusquea culeou (6-11) 'Chilean Weeping'	C	0	2-5	20	1.00	20	1.00	60	100	200	ask
CHGI	Chusquea gigantea (formerly Chusquea culeou 'Breviglumis')	C	0	3-5	20	0.75	16	1.50	100- 125	-	300- 450	ask

	Bamboo Species Click names for details	Running/ Clumping Type	Min Temp in Faren	1- Deep shade 2- Bright light 3- AM sun 4- PM sun 5- Full sun	In Sebastopol		In Climate of Origin		Prices/Availability			
					Hght in Feet	Diam in Inches	Hght in Feet	Diam in Inches	1 gal	5 gal	15 gal	25+ gal
CHMI	Chusquea mimosa 'Australis'	C	20	2-5	15	0.75	15	1.00	-	75	150	ask
CHMU	Chusquea meulleri	C	22	2-4	5	0.25	6	0.25	30- 40	75- 100	-	ask
CHNI	Chusquea sp. 'Nigricans'	C	0	3-5	20	0.40	20	0.40	50	80	175	ask
CHPJ	Chusquea pittieri	C	22	3-5	16	1.50	30	1.50	30	60	-	ask
CHSU	Chusquea sulcata	C	32	3-4	15	0.80	15	0.80	40 60	80 120	175	ask
CHVA	Chusquea valdiviensis	C	10	3-5	30	1.50	20	1.50	-	-	-	ask
FARGESIA												
FAND	Fargesia denudata	C	3	3-5	6	0.25	16	0.50	40	100	200	ask
FAD	Fargesia dracocephala	C	0	2-4	8	0.50	12	0.50	-	60	120	ask
FADG	Fargesia dracocephala 'Gold Stem'	C	0	2-4	8	0.50	12	0.50	30	-	-	ask
FADR	Fargesia dracocephala 'Rufa'	C	-5	2-3	9	0.25	15	0.50	30	75	150	ask
FAM	Fargesia murielae "Umbrella Bamboo"	C	-20	2-3	10	0.45	15	0.50	20	75	-	ask
FAN	Fargesia nitida "Fountain Bamboo" (seedling)	C	-15	2-3	12	0.30	12	0.50	40	70	-	ask
FANJ	Fargesia nitida 'Jiuzhaiqou' "Red Dragon"	C	-15	2	12	0.50	12	0.50	-	100	200	ask
FARO	Fargesia robusta	C	0	2-4	10	0.50	15	0.80	40	100	175	ask
HIBANOBAMBUSA												
HBT	Hibanobambusa tranquilans	R	-5	3-5	12	0.75	15	0.35	20	40	80	ask
HBTS	Hibanobambusa tranquilans 'Shiroshima'	R	-5	3-5	15	0.75	15	0.35	20	45	80	ask
HIMALAYACALAMUS												
HCA	Himalayacalamus asper (formerly NMC)	C	15	2-4	15	0.75	20	1.50	40	75	175	ask
HCC	Himalayacalamus cupreus	C	20	2-4	15	0.50	20	1.25	50	100	200	ask
HCF	Himalayacalamus falconeri	C	20	3-4	15	0.75	30	2.00	-	75	200	ask
HCFD	Him. falconeri 'Damarapa' "Red" "Candystripe"	C	20	3-4	16	0.75	30	2.00	-	75	200	ask
HCP	Himalayacalamus porcatus	C	15	2-4	12	0.50	20	1.25	40	75	175	ask
INDOCALAMUS												
INLA	Indocalamus latifolius	R	0	1-3	6	0.30	6	0.30	10 20	40	80	ask
INLO	Indocalamus longiauritus	R	0	2-4	8	0.35	12	0.65	20	30 40	90	ask
INT	Indocalamus tessellatus (Sasa tessellata)	R	-10	1-2	6	0.30	7	0.50	8 45	40	80	ask
INDOSASA												
ISC	Indosasa crassifolia	R	10	2-5	15	1.00	15	1.00	-	60	120	ask
OCHLANDRA												
OCS	Ochlandra strulata	R	10	3-5	20	1.00	20	1.00	-	-	150	ask
OTATEA												
OAAZ	Otatea acuminata aztecorum 'Mexican Weeping'	C	20	3-5	15	1.25	20	0.50	-	80	150	ask
OAAZC	Otatea acuminata aztecorum 'Chica'	c	20	3-5	3	0.50	3	0.50	-	60	150	ask
PHYLLOSTACHYS												
PHAC	Phyllostachys acuta	R	0	4-5	20	1.50	26	2.50	-	65	130	ask
PHAG	Phyllostachys angusta "Stone Bamboo"	R	0	4-5	30	1.75	26	2.50	-	70	140	ask
PHAH	Ph. arcana	R	0	3-5	24	1.50	27	1.25	-	60	140	ask

	Bamboo Species Click names for details	Running/ Clumping Type	Min Temp in Faren	1- Deep shade 2- Bright light 3- AM sun 4- PM sun 5- Full sun	In Sebastopol		In Climate of Origin		Prices/Availability			
					Hght in Feet	Diam in Inches	Hght in Feet	Diam in Inches	1 gal	5 gal	15 gal	25+ gal
PHAJ	Ph. aurea "Hedge Bamboo" "Golden"	R	0	3-5	16	1.50	30	2.00	-	70	140	ask
PHAN	Ph. aurea "Holoachrysa" "True Gold"	R	0	4-5	27	1.75	27	1.75	-	70	140	ask
PHAO	Ph. aurea 'Koi'	R	0	3-5	15	1.50	30	2.00	30	70	140	ask
PHAQ	Ph. aureosulcata "Yellow Groove"	R	-5	3-5	30	1.75	45	2.20	-	60	130	ask
PHARI	Phyllostachys aureosulcata 'Harbin' inversa	R	-10	3-5	25	1.50	26	1.50	40	80	140	ask
PHARR	Ph. Aureosulcata 'Harbin'	R	-10	4-5	26	1.50	26	1.50	-	70	140	ask
PHAS	Ph. aureosulcata 'Spectabilis'	R	-5	3-5	30	1.50	26	1.50	30	70	140	ask
PHAU	Ph. aureosulcata "Lama Temple"	R	-10	3-5	25	1.25	26	1.25	25	70	140	ask
PHB	Ph. bambusoides "Madake"	R	-5	3-5	50	5.00	72	6.00	20- 25	60	130	ask
PHBA	Ph. bambusoides holoachrysa 'All Gold'	R	0	3-5	25	1.50	35	2.50	-	60	130	ask
PHBAS	Ph. Bambusoides 'Aureostriata'	R	0	3-5	20	1.00	35	2.50	-	150	-	ask
PHBI	Ph. bambusoides 'Castillon Inversa'	R	0	3-5	25	2.00	35	2.00	25 35	60	130	ask
PHBR	Ph. bambusoides 'Slender Crookstem'	R	0	3-5	50	5.00	50	5.00	-	70	140	ask
PHBS	Ph. bambusoides 'Subvariegata'	R	0	4-5	48	3.00	48	3.00	-	70	200	ask
PHBY	Ph. bissetii	R	-15	3-5	18	1.00	40	2.00	20	70	140	ask
PHC	Ph. atrovaginata (congesta) "Incense Bam."	R	-10	4-5			25	2.25	-	70	140	ask
PHDEC	Ph. decora	R	-10	3-5	24	1.50	24	1.25	-	-	100	ask
PHDEN	Ph. densiflorum	R	0	3-5	20	1.50	20	1.50	-	90	-	ask
PHDUL	Ph. dulcis	R	-10	3-5	40	3.00	40	3.00	-	70	140	ask
PHF	Ph. flexuosa	R	-15	4-5	15	1.25	31	2.75	-	60	120	ask
PHG	Ph. glauca	R	-5	3-5	35	2.00	70	5.00	-	-	120	ask
PHHP	Ph. heterocycla 'Pubescens' "Moso" (China)	R	0	3-5	25	3.00	80	6.00	30	70	140	ask
PHHU	Ph. humilis	R	0	3-5	20	1.00	20	1.00	20	70	140	ask
PHI	Ph. iridescens	R	0	4-5	36	2.75	36	2.75	-	70	140	ask
PHME	Ph. meyeri	R	0	4-5	33	2.00	33	2.00	-	60	130	ask
PHNA	Ph. nidularia	R	0	4-5	33	1.50	33	1.50	40	70	160	ask
PHNF	Ph. nigra "Black Bamboo"	R	0	3-5	30	2.25	30	2.25	25	70	140	ask
PHNFF	Ph. nigra 'Daikokuchiku' "Giant Black"	R	5	3-5	50	3.35	57	3.30	-	70	140	ask
PHNG	Ph. nigra 'Bory' "Leopard Bamboo"	R	-5	3-5	40	2.50	50	3.00	20	60	140	ask
PHNI	Ph. nigra 'Henon'	R	-5	3-5	35	2.50	65	5.00	20	60	140	ask
PHNM	Ph. nigra 'Megurochiku'	R	-5	3-5	35	2.50	54	3.50	20	60	140	ask
PHNU	Ph. nuda	R	-20	3-5	34	1.75	34	1.75	25	45	100	ask
PHPS	Ph. heteroclada 'Solid Stem'	R	-20	3-5	15	0.75	20	1.00	-	60	120	ask
PHPT	Ph. heteroclada 'Straight Stem' "Water Bamboo"	R	-5	3-5	20	0.75	33	1.50	-	60	120	ask
PHR	Ph. rubromarginata	R	-15	3-5	20	1.00	55	3.50	15- 20	60	140	ask
PHVC	Ph. violascens	R	0	3-5	20	2.00	50	3.00	-	70	140	ask

	Bamboo Species Click names for details	Running/ Clumping Type	Min Temp in Faren	1- Deep shade 2- Bright light 3- AM sun 4- PM sun 5- Full sun	In Sebastopol		In Climate of Origin		Prices/Availability			
					Hght in Feet	Diam in Inches	Hght in Feet	Diam in Inches	1 gal	5 gal	15 gal	25+ gal
PHVG	Ph. viridiqlaucescens	R	-10	3-5	35	2.00	35	2.00	20	60	140	ask
PHVJ	Ph. viridis 'Houzeau'	R	-5	3-5	25	3.00	45	3.00	25	60	140	ask
PHVR	Ph. viridis 'Robert Young'	R	-5	3-5	45	3.00	40	3.00	20	60	130	ask
PHVX	Ph. vivax	R	-5	3-5	50	5.00	70	5.00	-	70	140	ask
PHVXA	Ph. vivax 'Aureocaulis'	R	-5	3-5	35	2.50	70	5.00	30-40	70	140	ask
PLEIOBLASTUS												
PLAR	Pleioblastus argenteostriatus	R	10	2-3	3	0.25	3	0.25	15	25	75	ask
PLCK	Pleioblastus chino 'Kimmei'	R	10	2-4	8	0.60	10	0.80	30	-	120	ask
PLCM	Pleioblastus chino 'Murakamianus'	R	10	2-4	6	0.30	6	0.30	15-20	30-45	-	ask
PLCW	Pleioblastus chino 'Vaginatus Variegatus'	R	0	2-5	6	0.50	6	0.50	20	30	65	ask
PLD	Pleioblastus distichus	R	10	3-4	2	0.10	2	0.10	20	30	-	ask
PLDM	Pleioblastus distichus 'Mini'	R	10	2-4	1	0.10	1	0.10	15	30	-	ask
PLFO	Pleioblastus fortunei "Dwarf White-Stripe"	R	-10	2-4	3	0.15	4	0.15	15	30	65	ask
PLHI	Pleioblastus hindsii 'Yasui'	R	0	3-5	20	1.50	18	1.50	-	50	120	ask
PLHU	Pleioblastus humilis	R	-10	3-5	4	0.10	4	0.10	10-15	30	65	ask
PLL	Pleioblastus linearis	R	0	3-5	15	0.75	15	0.75	15	35	100	ask
PLVS	Pl. viridistriatus "Dwarf Greenstripe"	R	-10	2-3	4	0.25	4	0.25	20	30	50	ask
PLVSC	Pleioblastus viridistriatus 'Chrysophyllus'	R	-10	2-3	4	0.25	4	0.25	-	30	50	ask
PSEUDOSASA												
PSAT	Pseudosasa amabilis "Tonkin Cane"	R	10	3-5	15	0.75	50	2.50	20	75	-	ask
PSJ	Pseudosasa japonica "Arrow Bamboo"	R	0	3-5	15	0.75	15	0.75	15	50	120	ask
PSJP	Pseudosasa japonica 'Pleioblastoides'	R	0	3-4	10	0.70	18	0.75	-	50	120	ask
PSJT	Pseudosasa japonica 'Tsumiana'	R	0	3-5	10	1.00	10	0.75	-	50	120	ask
PSU	Pseudosasa usawai	R	10	3	16	0.75	16	0.80	-	40	80	ask
SASA												
SAB	Sasa borealis	R	10	3-4	5	0.15	5	0.15	20	-	-	ask
SAKLS	Sasa kurilensis 'Simoturi' "Fallen Snow"	R	0	1-3	8	0.50	6	0.50	-	45-60	-	ask
SAO	Sasa oshidensis	R	0	3-4	6	0.25	6	0.25	10	25	75	ask
SAPN	Sasa palmata 'Nebulosa'	R	-10	3-5	8	0.50	15	0.50	20	40	80	ask
SAT	Sasa tsuboiana	R	-20	2-3	4	0.20	6	0.25	20	40	-	ask
SAV	Sasa veitchii "Kuma-zasa"	R	-10	2-3	3	0.25	5	0.30	30	50	-	ask
SAVM	Sasa veitchii 'Minor'	R	10	2-3	3	0.25	2	0.10	10	-	-	ask
SASAELLA												
SBGS	Sasaella glabra aureostriata	R	10	3-5	3	0.20	3	0.20	10	-	-	ask
SBMA	Sasaella masamuneana	R	-10	2-4	6	0.25	6	0.25	15-20	30-40	65	ask
SBMS	Sasaella masamuneana 'Albostrata'	R	-10	3-4	5	0.20	6	0.25	20	40	65	ask
SBR	Sasaella ramosa	R	-10	3-4	6	0.25	6	0.25	-	40	-	ask
SEMIARUNDINARIA												

	Bamboo Species Click names for details	Running/ Clumping Type	Min Temp in Faren	1- Deep shade 2- Bright light 3- AM sun 4- PM sun 5- Full sun	In Sebastopol		In Climate of Origin		Prices/Availability			
					Hght in Feet	Diam in Inches	Hght in Feet	Diam in Inches	1 gal	5 gal	15 gal	25+ gal
SEF	Semiarund. fastuosa "Temple Bamboo"	R	-10	3-5	25	1.50	30	1.50	25	70	140	ask
SEFV	Semiarund. fastuosa v. viridis	R	-10	3-5	25	1.50	30	1.50	25	70	140	ask
SEFX	Semiarundinaria fortis	R	0	4-5	20	1.50	30	1.50	30	45	100	ask
SEMK	Semiarundinaria makinoi	R	5	3-5	15	0.34	16	0.80	30	-	-	ask
SEMY	Semiarundinaria sp. 'Maruyamana'	R	0	3-5	15	0.75	15	0.75	30	45- 60	75	ask
SEO	Semiarundinaria okuboi	R	-10	3-5	15	0.50	25	1.50	-	-	90	ask
SEYD	Semiarundinaria yamadori	R	0	3-5	15	0.75	15	0.75	-	40	-	ask
SEYK	Semiarund. yashadake 'Kimmei'	R	-5	4-5	12	0.75	15	1.00	35	45	100	ask
SEYKH	Semiarundinaria yashadake 'Kimmei Holochrysa'	R	-5	4-5	10	0.50	25	1.50	-	125	150	ask
SEYKI	Semiarundinaria yashadake 'Kimmei Inversa'	R	-5	4-5	12	0.75	15	0.90	60	100	120	ask
SEYM	Semiarundinaria yoshi-matsumurae	R	0	3-5	15	0.75	15	0.75	-	50	-	ask
SHIBATAEA												
SHK	Shibataea kumasaca	R	-5	2-3	3	0.25	7	0.25	10 15	25	-	ask
SHLA	Shibataea lancifolia	R	-5	2-4	7	0.25	7	0.25	30	-	-	ask
SINOBAMBUSA												
SITA	Sinobambusa tootsik 'Albostrata'	R	10	2-3	20	1.50	20	1.50	40	70	140 200	ask
THAMNOCALAMUS												
TAR	Thamnocalamus aristatus	C	5	3-4	20	0.50	20	0.50	-	75- 99	175	ask
TTS	Thamnocalamus tessellatus	C	0	3-4	16	1.00	16	1.00	20	60	150	ask
YUSHANIA												
YUA	Yushania anceps	O	0	2-3	8	0.65	12	0.75	20	-	90	ask
YUANP	Yushania anceps 'Pitt White'	O	0	2-3	12	0.75	12	0.75	-	45	90	ask
YUC	Yushania chungii	C	-5	1-3	8	0.30	12	0.30	-	75	150	ask
YUM	Yushania maling	O	15	2-5	15	0.75	15	0.75	-	40	90	ask